

> SYMPTOM-TRACKING JOURNAL

Track your symptoms to reach the next destination point on your treatment journey



Every journey needs a journal

WHAT ARE YOU SEARCHING FOR?

You're looking for answers about symptoms that you suspect may be Lambert-Eaton myasthenic syndrome (LEMS). Maybe you or your loved one is searching for:

- An initial diagnosis confirming that LEMS is the cause of those symptoms
- A second opinion to verify that LEMS is the right diagnosis
- Other treatment options for symptoms that just aren't going away

Whatever journey you're on, journaling may help.



BENEFITS OF KEEPING A SYMPTOM JOURNAL

Maintaining good health, especially when symptoms start to interfere with daily activities, is not just the responsibility of the physician—patients and/ or caregivers must also play a role. To assist your physician with your overall care, they need to know exactly what symptoms you have been experiencing. **Details are important**. And because you may not always remember exactly what you're feeling and when, using a symptom journal to track that information is especially helpful.





HOW TO USE THIS JOURNAL

My Next Step is designed to help you capture information one week at a time, while allowing for daily entries about the medicines that you or your loved one is taking and the symptoms and side effects that are occurring.

- 1 Print out both pages of each weekly entry as needed
- 2 Keep these pages handy, on a counter or on the refrigerator, where they will be easily seen
- 3 Be a faithful journal writer—use this important tool every day
- 4 Try to complete each section as fully as you can each week
- 5 At the end of each week (on Sunday), print out the next week's pages and continue tracking on that Monday

Have questions? See pages 24-25 for more detailed direction on using this journal.



Contents:

WEEK 1

Recognizing LEMS in Your Life

WEEK 2

Do You Have the Right Diagnosis?

WEEK 3

LEMS and Cancer

WEEK 4

Diagnosis and Treatment for LEMS

WEEK 5

Finding Support




RECOGNIZING LEMS IN YOUR LIFE

Lambert-Eaton myasthenic syndrome (LEMS) is a rare neuromuscular disorder that causes debilitating muscle weakness and fatigue

As the name suggests, neuromuscular disorders affect the nerves and muscles of the body, specifically how they communicate with each other. LEMS interferes with the nerves' ability to release an important chemical called acetylcholine (ACh). When ACh is not released properly, muscles lose the signal necessary for their full function. As a result, people with LEMS may struggle to walk or do everyday activities.

Signs and symptoms of LEMS

The most common symptom of LEMS is muscle weakness, especially in the legs and hips. But LEMS can also weaken muscles in other areas of the body and affect a part of the nervous system that controls automatic bodily functions, such as saliva production, digestion, and arousal.



Dealing with the detours of LEMS in daily life

Another way to recognize the symptoms that you or your loved one is experiencing is to describe how those symptoms may be disrupting daily life. Below are some examples of everyday activities and bodily functions that may be affected by LEMS.



Walking



Climbing or descending stairs



Getting into or out of a car



Raising arms or lifting objects



Standing without getting dizzy



Reading or focusing eyes



Talking



Chewing and/or swallowing



Using the bathroom



Getting/maintaining an erection



WELCOME TO YOUR FIRST JOURNAL ENTRY!

This page will serve as a starting point for your journal and a reminder of how you were feeling when this journey began. Take good notes! You and your doctor may refer back to this entry to see how your symptoms have changed over time. The information you provide may help confirm a diagnosis of LEMS, point to the need for further testing, or help your doctor adjust your treatment to provide better results. Please make sure that you add all prescription, over-the-counter, and other medications you're taking every day.

	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)
MON				
TUES				
WED				
THURS				
FRI				
SAT				
SUN				



WEEK 1 | GETTING STARTED (continued)

Symptoms I've noticed this week	(Fill box completely for new	symptoms)
Upper leg weakness	☐ Dry eyes	Other symptoms:
☐ Lower leg weakness	☐ Drooping eyelids	
Arm weakness	☐ Blurred vision	
☐ Fatigue	☐ Erectile dysfunction	
☐ Dry mouth	Constipation	
Activities affected by my sympto	oms	
	☐ Talking	
☐ Climbing or descending stairs	☐ Chewing and/or swallow	ing
☐ Getting up from a chair	☐ Getting/maintaining an e	erection
☐ Getting into or out of a car	☐ Having a bowel moveme	nt
Raising arms or lifting objects		
Reading		
Describe a specific example from the you felt at that moment:	e past week when your life wa	s disrupted by your symptoms and how



WEEK 1 | GETTING STARTED (continued)

My overall mood/feeling is



















Unhappy



Overwheli	med
-----------	-----

Why did you choose the answer above?		
Goals for the future		
By this time next week , I hope that		



THIS WEEK'S TIP FOR THE ROAD: STAY IN YOUR LANE!

When it comes to the treatment journey, you or your loved one should always follow the doctor's directions. Take prescribed medicines at the same time(s) each day. This is particularly important when starting a new medicine. At the beginning, your doctor may titrate (adjust) the dose in order to provide you or your loved one with the most symptom relief and the fewest side effects.

Write down any questions you may have about symptoms, diagnosis, or treatment. Review them with your doctor during your next office visit.							



DO YOU HAVE THE RIGHT DIAGNOSIS?

LEMS is often confused with other conditions

Because Lambert-Eaton myasthenic syndrome (LEMS) is a rare disorder, patients are often diagnosed with other disorders before getting to their appropriate diagnosis. This may be something that you or your loved one has experienced leading up to being diagnosed with LEMS.



of patients with LEMS receive the wrong diagnosis the first time.

One of the reasons for the confusion is that there are several more common neuromuscular disorders that also cause symptoms of muscle weakness and fatique. Some of these include:

- Myasthenia gravis (MG)
- ✓ Parkinson's disease
- ✓ Multiple sclerosis (MS)
- ✓ Amyotrophic lateral sclerosis (ALS)

✓ Fibromyalgia

MG is the most common misdiagnosis of LEMS



In a study of LEMS patients,

MORE THAN ONE-THIRD of all those misdiagnosed

were told that they had MG.

If you've already been diagnosed with another disorder, such as MG, but are wondering if your symptoms have another cause, make a note in your journal to talk to your doctor.



Want a second opinion?

Go to FindLEMSdoc.com to search for experienced LEMS physicians nearest your area using only your ZIP code.



WEEK BEGINNING MONDAY	//
-----------------------	----

WELCOME TO YOUR SECOND ENTRY!

Hopefully, Week 1 was easy, and you've gotten the hang of using the journal. As you move forward this week, pay close attention to how your symptoms are changing or not changing. Are they getting milder or more severe? If you're receiving treatment, are you noticing any improvements? What about side effects? All of these may be clues that your doctor can use to assess treatment and make adjustments as necessary.

	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)
MON				
TUES				
WED				
THURS				
FRI				
SAT				
SUN				



WEEK 2 | WATCHING FOR CHANGES (continued)

Symptoms I've noticed this week (Fill box completely for new symptoms)							
Upper leg weakness	☐ Dry eyes	Other symptoms:					
☐ Lower leg weakness	☐ Drooping eyelids						
Arm weakness	☐ Blurred vision						
☐ Fatigue	☐ Erectile dysfunction						
☐ Dry mouth	Constipation						
Activities affected by my sympto	oms						
☐ Walking	☐ Talking						
☐ Climbing or descending stairs	☐ Chewing and/or swallow	ing					
☐ Getting up from a chair	☐ Getting/maintaining an e	rection					
☐ Getting into or out of a car	☐ Having a bowel moveme	nt					
☐ Raising arms or lifting objects							
Reading							
Describe a specific example from the you felt at that moment:	e past week when your life wa	s disrupted by your symptoms and how					



WEEK 2 | WATCHING FOR CHANGES (continued)

My overall mood/feeling is







Determined



Coping



Frustrated



Unhappy



Overwhelmed

Why did you choose the answer above?							
Goals for the future							
By this time next week , I hop	oe that						



THIS WEEK'S TIP FOR THE ROAD: FILL YOUR TANK WITH FUEL

Eating a healthy diet that includes fruits, vegetables, and other nutrients and vitamins can help you or your loved one stay energized and minimize fatigue.

Write down any questions you may have about symptoms, diagnosis, or treatment. Review them with your doctor during your next office visit.



ARE THOSE SYMPTOMS AN EARLY WARNING SIGN?

Some patients with LEMS may also have an underlying cancer

In about 50% of patient cases, Lambert-Eaton myasthenic syndrome (LEMS) is caused by a disorder in the immune system. But in the other half of cases, LEMS is associated with an underlying tumor—most often small-cell lung carcinoma (SCLC).



ABOUT 50%

of LEMS cases are caused by an underlying tumor—often SCLC.



The majority of these cases occur in people with a history of smoking.



Once a diagnosis of LEMS is confirmed, your doctor may decide to run more tests to see if cancer is present based, in part, on the symptoms that you or your loved one is reporting.





TESTS MAY INCLUDE An X-ray or CT Scan

Another important reason to track LEMS symptoms

Patients who have tumor-related LEMS often have symptoms that are more severe or worsen faster than patients with non-tumor LEMS. Taking good notes every week will help the doctor get a clearer picture of how aggressive your symptoms are and how quickly they are progressing. Providing clear, detailed notes in your symptom-tracking journal will help inform whether further testing makes sense.



١	M	F	F	K	1	R	F	G	IN		VI	N	G	٨	Ī	N	N	I	1	٨	V		/	7	/	
١	M	E	E	N		D	E.	U	ш	w	A I	IA	U	II	/1	u	П	ш	Л	н	1		/		Ι.	

WELCOME TO WEEK 3!

With 2 weeks of symptom tracking under your belt, you or your loved one should be getting a clear idea of how things are going and where you hope to be. It's time to start preparing for your office visit and a conversation with your doctor. Do you feel like you have the right diagnosis? Are you happy with your treatment results? Do you think you may need a change? Continue to track your symptoms and write down your questions so that your doctor understands exactly where you are and where you need to be.

	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)
MON				
TUES				
WED				
THURS				
FRI				
SAT				
SUN				



WEEK 3 | PREPARING TO TALK (continued)

Symptoms I've noticed this week (Fill box completely for new symptoms)				
Upper leg weakness	☐ Dry eyes	Other symptoms:		
☐ Lower leg weakness	☐ Drooping eyelids			
Arm weakness	☐ Blurred vision			
☐ Fatigue	☐ Erectile dysfunction			
☐ Dry mouth	Constipation			
Activities affected by my sympto	oms			
	☐ Talking			
☐ Climbing or descending stairs	☐ Chewing and/or swallow	ing		
☐ Getting up from a chair	☐ Getting/maintaining an e	erection		
☐ Getting into or out of a car	☐ Having a bowel moveme	nt		
Raising arms or lifting objects				
Reading				
Describe a specific example from the you felt at that moment:	e past week when your life wa	s disrupted by your symptoms and how		



WEEK 3 | PREPARING TO TALK (continued)

My overall mood/feeling is







Determined



Coping



Frustrated



Unhappy



Overwhelmed

Why did you choose the answer above?		
On the formula fortune		
Goals for the future		
By this time next week , I hope that		



THIS WEEK'S TIP FOR THE ROAD: GET A FULL NIGHT'S SLEEP!

The journey to finding renewed energy and strength requires regular periods of rest. To help you or your loved one manage fatigue and reduce stress, **getting 8 hours of sleep each night** is really important. Trouble falling asleep? Try limiting the intake of alcohol and caffeine, and turn off the TV or computer screen well before bedtime.


Write down any questions you may have about symptoms, diagnosis, or treatment. Review them with your doctor during your next office visit.



DIAGNOSIS AND TREATMENT OF LEMS

Common tests for Lambert-Eaton myasthenic syndrome (LEMS)

Neurologists and neuromuscular specialists typically use 3 testing methods to diagnose the symptoms of muscle weakness and determine whether the cause is LEMS, MG, or another disorder.



Treatment is determined by the type of LEMS



Cancer-related LEMS

The first step after a LEMS diagnosis is cancer testing. Tests may include an X-ray or CT scan. If a tumor is present, you or your loved one should be referred to an oncologist for treatment. In most cases, the tumor will be a small-cell lung carcinoma. Chemotherapy is usually prescribed for this type of cancer. Treating the tumor may also help improve the symptoms of LEMS. The doctor will decide if other therapies are necessary to manage LEMS symptoms.



Non-tumor LEMS

If LEMS is an autoimmune issue, meaning that no cancer is present, symptoms may be treated by a neurologist or neuromuscular specialist. A daily oral medicine is usually prescribed to help relieve LEMS symptoms. This medicine must be taken daily to maintain its positive effects.



CONGRATULATIONS ON REACHING WEEK 4!

If you haven't had your office visit, keep tracking until you do. If you did see your doctor, how did it go? Did you find the answers that you were looking for? If you received a new diagnosis or started on a new treatment, it's time to set your sights on the next destination. Where do you hope to be a month from now? Write down these goals and continue using this journal to track your progress until you reach that next point.

	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)
MON				
TUES				
WED				
THURS				
FRI				
SAT				
SUN				



WEEK 4 | DESTINATION RESET? (continued)

Symptoms I've noticed this week	(Fill box completely for new	symptoms)
Upper leg weakness	☐ Dry eyes	Other symptoms:
☐ Lower leg weakness	☐ Drooping eyelids	
Arm weakness	☐ Blurred vision	
☐ Fatigue	☐ Erectile dysfunction	
☐ Dry mouth	Constipation	
Activities affected by my sympto	oms	
☐ Walking	☐ Talking	
☐ Climbing or descending stairs	☐ Chewing and/or swallow	ing
Getting up from a chair	☐ Getting/maintaining an e	erection
☐ Getting into or out of a car	☐ Having a bowel moveme	nt
☐ Raising arms or lifting objects		
Reading		
Describe a specific example from the you felt at that moment:	e past week when your life wa	s disrupted by your symptoms and how



WEEK 4 | DESTINATION RESET? (continued)

My overall mood/feeling is















Why did you choose the answer al	bove?	

Goals for the future

By this time next week , I hope that		



THIS WEEK'S TIP FOR THE ROAD: KEEP YOUR ENGINE COOL!

Symptoms of LEMS may flare or get worse when you or your loved one becomes overheated or has a fever. To keep things cool, avoid hot baths and showers, and don't overdo exercise. (Break a sweat, not the thermometer!) If you start noticing signs of a cold or flu, contact your doctor immediately to get guidance on what to do next.

Write down any questions you may have about symptoms, diagnosis, or treatment. Review them with your doctor during your next office visit.			



FINDING SUPPORT

You don't have to face the journey alone

Whether you're a patient or a caregiver, there are places you can go and people you can turn to for help and support with managing the challenges of Lambert-Eaton myasthenic syndrome (LEMS) or other neuromuscular conditions.



Reach out to family and friends

Everyone may seem too busy these days, but chances are that you have family members and friends who would jump at the chance to provide some level of assistance. Consider asking those closest to you if they'd be willing to help out with:

- · A regular task, such as weekly grocery shopping or mowing the lawn
- An occasional favor, such as providing a ride to the doctor's office or pharmacy



Consider other life connections

You may also find other sources of support among affiliations that you or your loved one has, such as:

- · Current or former work colleagues
- · Religious community members
- Members of clubs or other organizations



Consult professional services

Most communities in the US offer support services to people aged 60 and over and their caregivers, such as providing home-delivered meals, transportation, and adult day care. To find these services in your area, visit **Care.com**.



KEEP GOING UNTIL YOU REACH YOUR GOAL!

As you or your loved one moves forward in the search for renewed energy and strength, you may discover that you don't need to track every step of the journey. Fantastic! If you feel like you've found the right diagnosis and treatment—and have reached a good place—put down the pen. Your journal-keeping has paid off! Enjoy the rewards of your diligent work. If you're still not quite where you or your loved one wants to be, use this supplemental journal template to track your weekly journeys until you reach your desired goal.

	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)	Medicine (Dose and Frequency)
MON				
TUES				
WED				
THURS				
FRI				
SAT				
SUN				



THE WEEKS AHEAD | ROADSIDE ASSISTANCE (continued)

Symptoms I've noticed this week (Fill box completely for new symptoms)				
Upper leg weakness	☐ Dry eyes	Other symptoms:		
☐ Lower leg weakness	☐ Drooping eyelids			
Arm weakness	☐ Blurred vision			
☐ Fatigue	☐ Erectile dysfunction			
☐ Dry mouth	Constipation			
Activities affected by my sympto	oms			
	☐ Talking			
☐ Climbing or descending stairs	☐ Chewing and/or swallow	ing		
☐ Getting up from a chair	☐ Getting/maintaining an e	erection		
☐ Getting into or out of a car	☐ Having a bowel moveme	nt		
Raising arms or lifting objects				
Reading				
Describe a specific example from the you felt at that moment:	e past week when your life wa	s disrupted by your symptoms and how		



THE WEEKS AHEAD | ROADSIDE ASSISTANCE (continued)

My overall mood/feeling is







Determined



Coping



Frustrated



Unhappy



Overwh	relmed
--------	--------

Why did you choose the ans	wer above?		
Goals for the future			
By this time next week , I hop	oe that	 	




VISIT LEMSAWARE.COM TO FIND MORE TIPS FOR THE ROAD.

Write down any questions you may have about symptoms, diagnosis, or treatment. Review them with your doctor during your next office visit.					




MAKING A JOURNAL ENTRY



WEEK 1 GETTING STARTED (continued)			Check off symptoms that you or your loved one experienced this week.		
Symptoms I've noticed this we	ek (Fill box completely for ne	w symptoms)	loved one experienced this week.		
Upper leg weakness	Dry eyes	Other symptoms:			
Lower leg weakness	Drooping eyelids		Fill the boy completely for symptoms		
Arm weakness	■ Blurred vision		Fill the box completely for symptoms		
☐ Fatigue	☐ Erectile dysfunction		that appeared for the very first time		
☐ Dry mouth	Constipation		this week.		
Activities affected by my symp	toms		tino irosia		
■ Walking	□ Talking				
Climbing or descending stairs	Chewing and/or swallo	owing			
Getting up from a chair	Getting/maintaining ar	n erection	Check off any activities that were affected		
Getting into or out of a car	☐ Having a bowel mover	ment	· · · · · · · · · · · · · · · · · · ·		
Raising arms or lifting objects			by those symptoms.		
Reading					
			 Provide details about a time, event, or activity that was particularly disrupted by 		
			symptoms this week.		
		LEMS			
		ougove			



MAKING A JOURNAL ENTRY (continued)



Call your doctor right away if you or your loved one has any urgent questions, such as unexpected side effects or confusion regarding doses or missed doses.

